

Rock Creeke

OVERLAY CARRIAGE HOUSE DOOR



Swing-out doors with X-bucks, 9' x 7' with 3-over-3 arched windows and bean hardware




RAYNOR



Swing-out doors with A-bucks, 9' x 8' with 3-over-3 arched windows

Rock Creeke

Designed to provide unsurpassed character in a maintenance-free design, Raynor RockCreeke overlay doors feature an environmentally stable trim board material. With a long-lasting vinyl capstock, this trim board material has an attractive appearance that holds up over time. Best of all, the material technology can utilize "reclaimed" wood fiber and vinyl from post production processes, helping to save natural resources. And, with an R-value of 12, RockCreeke doors have durable 1 3/8" polyurethane insulated base door sections for thermal efficiency and maximum structural integrity.

Size Availability	Door Styles	Colors	Track/Hardware Finish
Width: 8'-0", 9'-0", 10'-0", 12'-0", 16'-0", 18'-0" Height: up to 10' in 6" increments <i>(Accordion style doors only available in 12' widths.)</i>	Simulated Swing-Out, Bi-fold, and Accordion (12' only)	White, Almond, and ClayTone 	Galvanized (<i>standard</i>) or EnduraCote™ White Powdercoat (<i>optional</i>)

Glass Type	# of Lites Across	Pane Pattern	Warranty
Clear 1/8" DSB (standard) or 1/8" water glass, clear insulated or water glass insulated (options)	Single Car: 2 12' Accordion: 3 Double Car: 4	1-pane, 3-pane, 3-over-3, 1-pane arched, 3-over-3 pane arched <i>(10' wide doors use a 4-over-4 pattern.)</i>	Door sections are warranted against rust-through for "As Long As You Own Your Home." Trim boards are warranted against delamination for a period of five years and discoloration for a period of ten years. Powdercoated track and hardware are warranted against defects in materials and workmanship for "As Long As You Own Your Home," while galvanized track and hardware are warranted against defects in materials and workmanship for a period of five years.

EXTERIOR HARDWARE

Add character to your RockCreeke™ door with these authentic looking decorative hardware choices.



Bean Strap



Fleur-De-Lis Strap



Bean Handles



Fleur-De-Lis Handles


INTERIOR HARDWARE




For a clean, finished look and maximum protection against rust, RockCreeke doors are available with a powdercoated hardware system. The EnduraCote™ Hardware System features extended-life torsion springs and powdercoated hardware. Nylon rollers with steel ball bearings also help to provide superior noise reduction.

DOOR STYLES AND PANEL OPTIONS


Swing-out single-car and double-car panel configurations.



Accordion panel configurations (only available in 12' widths).




Bi-fold single-car and double-car panel configurations.



WINDOW OPTIONS

Our beautiful snap-in window designs put the perfect finishing touch on your new Raynor RockCreeke garage door.



*10' wide doors use a 4-over-4 pattern.

**10' wide doors use a 4 pane pattern.

RockCreeke

OVERLAY CARRIAGE HOUSE DOOR



Unsurpassed character in a maintenance-free design.

The material used in the decorative overlay trim boards is a revolutionary structural composite that blends the very best attributes of vinyl and wood. Its strength and durability have been field-proven in extreme weather and environmental conditions.

Raynor RockCreeke Limited Warranty*

Door sections are warranted against rust-through for "As Long As You Own Your Home." Trim boards are warranted against delamination for a period of five (5) years and discoloration for a period of ten (10) years. Powdercoated track and hardware are warranted against defects in materials and workmanship for "As Long As You Own Your Home," while galvanized track and hardware are warranted against defects in materials and workmanship for a period of five (5) years.

*View full warranty details, available at www.raynor.com.

NEPTUNE DOOR CO.

RAYNOR

www.raynor.com

1-800-4-RAYNOR (472-9667)

Raynor Worldwide
P.O. Box 448, 1101 East River Road
Dixon, IL 61021-0448